The Computing & Interdisciplinary Systems Office

Annual Review and Planning MeetingOctober 9-10, 2002

Coupled Fluid and Structural Analysis of Pump Stages for

Space Propulsion Systems

Chunill Hah



2002 CISO Review

Coupled Fluid and Structural Analysis of Pump Stages for Space Propulsion Systems

C. Hah
NASA Glenn Research Center

J. Loellbach ICOMP

A. K. Owen
NASA Glenn Research Center

S. Khandelwal RS Information Systems, Inc.



Objective

- Develop a coupled fluid/structure analysis tool for rocket turbopumps.
- Advance hardware concepts and designs.
- Improve safety, reliability, and cost of space transportation.



2002 CISO Review

Background

- High power density of rocket engine pumps requires highfidelity definition of pump environments.
- Currently, pump stage interaction effects and fluid/structure interaction effects are not modeled properly during the design cycle.
- Cavitation is not modeled during pump design cycle.



Coupled Fluid/Structure Analysis with Cavitation Modeling

Flow: HPUMP3D (3D, unsteady Navier-Stokes code)

Structure: ANSYS

Coupling: Unified NPSS tool



2002 CISO Review

Validation of Flow Code for Rocket Engine Pumps

- RLV pump stage
- Deep-throttle turbopump stage
- Cavitation in a cascade of pump blades



Impeller from RLV Pump Stage






2002 CISO Review

Computational Grid for Numerical Flow Analysis of RLV Pump Stage







Mid-Span Pressure Contours at Three Different Time Steps (65% Mass Flow)




Mid-Span Velocity Vectors at Three Different Time Steps (65% Mass Flow)



Comparison of Measured and Calculated Stage Hydraulic Efficiency




Unsteady Pressure Instrumentation







Comparison of Measured and Calculated Unsteady Pressure from Tap C



Deep-Throttle Stage Grids (inducer + impeller + diffuser)




3D Steady Combined Pressure Field at Midspan






2002 CISO Review

Midspan Static Pressure Distribution




Validation of Cavitation Modeling



Comparison of cavitation length. CFD simulation of cavitation in a cascade of flat plates.





Coupling of HPUMP3D and ANSYS

- HPUMP3D cfd code
- ANSYS structure code



2002 CISO Review

Executing Codes Using CCDK

- Corba Component Development Kit using indirect wrapper approach.
- Using IOR's as location identifiers.
- Allows bi-directional exchange of data files.



Demo - program in unix script (bourne shell)

- start all remote servers.
- run 'program Client'.
- kill all servers.

- Client written in C++.
 - creates a new copy of all remote servers.
 - executes all programs in sequence as defined.
 - each server is connected to an executable program.
 - controls execution loop, allows exchange of data.
 - catches exceptions (unix signal 1 2 3 15) and stops.



2002 CISO Review

cfd

- executes cfd code HPUMP3D
- creates output files (for grid and solution)


- Model executes a program model.f
 - reads grid and solution files (from cfd code).
 - creates data files for nodes, elements and pressure to be read by ANSYS. Only blade geometry data are used.

ANSYS impeller

- creates finite element model (FEM) by reading node and element data for impeller blades.
- find solution for load "pressure + angular vel".
- writes the new blade coordinates after solution.




Impeller Blades: FEM Model





2002 CISO Review

Impeller Blades: Deformed Shape





Update geom - program in Fortran (updgrid.f)

- creates new geometry data by replacing updated blade geometry (from ANSYS) in the original cfd grid data.
- generates a new grid for cfd calculations.



2002 CISO Review

Current and Future Developments

- Complete transient coupled analysis of impeller.
- Full pump stage coupled analysis (IGV + impeller + diffuser).
- Implementation and validation of cavitation capability.

